

T8 Special Length Standard


F14W/133 -T8

0000039



Range Features

-



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Linear
Colour temperature (K)	4000
CRI (Ra)	64
EAN code	5410288000398
Energy class	B
Cap/Base	G13
Type	T8 Standard Special Length
Watt (Nominal) (W)	14
Light colour	640 Cool White
Ordering number	0000039
Luminous flux (Rated) (lm)	700
Technology	Fluorescent
Voltage (V)	38

DATA TABLE

Optical data

Ambient temperature for maximum luminous flux (°C)	25
Colour temperature (K)	4000
CRI (Ra)	64
Light colour	640 Cool White
Luminous flux (Nominal) (lm)	700
Luminous flux (Rated) (lm)	700

T8 Special Length Standard

F14W/133 -T8

0000039

General data

Average life (Nominal) (h)	14000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Linear
EAN code	5410288000398
Energy class	B
Fixture rating	Open
General application	Retail;Hospitality;Logistics and Industry;Museums;Education;Office;Residential & Consumer;
IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Cap/Base	G13
Lamp mercury content (mg)	2.3
Type	T8 Standard Special Length
Ordering number	0000039
Product name	F14W/133 -T8
Special purpose lamp	Yes
Technology	Fluorescent
Transformer required	No
Sales pack quantity	25
E-number SE	8356681
E-number FI	4942381

Electrical data

Current (A)	0.395
Ignition voltage (V)	0
Watt (Nominal) (W)	14
Voltage (V)	38

Physical data

Diameter (mm)	26
Max. Lamp Diameter (mm) - D	26
Lamp Length (mm) - C/L	375.4
Length base to base (mm) - A	361.2
Length base to pin Min-Max - B	365.8-368.3
Single packaging type	Box/Sleeve
Weight (kg)	0.05
Outer package dimensions (L x W x H) (cm)	40.00 x 15.50 x 15.00
Single package dimensions (L x W x H) (cm)	37.60 x 2.90 x 2.80

T8 Special Length Standard

F14W/133 -T8

0000039

TECHNICAL DRAWINGS

G13

