

TUV PL-S

TUV PL-S 5W/2P 1CT

TUV PL-S lamps are compact UVC (germicidal) lamps used in residential water and air disinfection units. The compact size of the lamp allows for a small system design and design flexibility. TUV PL-S lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Thanks to the single-ended lamp base, lamp replacement is easy.

Product data

• General Characteristics

Cap-BaseG23Cap-Base Information2 PinsBulb2xT12Execution2 PinsMain ApplicationDisinfectionUseful Life9000 hr

• Electrical Characteristics

Lamp Wattage 5 W
Lamp Wattage Technical
Lamp Voltage 34 V
Lamp Current 0.18 A

• Light Technical Characteristics

Color Code TUV Color Designation -(text)

` ,

• UV-related Characteristics

UV-C Radiation 1.1 W

• Product Dimensions

Base Face to Base 67 (max) mm Face A

Insertion Length B 83 (max) mm
Overall Length C 105 (max) mm
Diameter D 28 (max) mm
Diameter D1 13 (max) mm

• Product Data

Net weight per piece


927900504007 Order code Full product code 927900504007 Full product name TUV PL-S 5W/2P 1CT TUV PL-S 5W/2P 1CT/6X10BOX Order product name Pieces per pack 6X10CC Packing configuration Packs per outerbox 60 8711500642486 Bar code on pack -EAN1 8711500642493 Bar code on intermediate packing -EAN2 Bar code on 8711500642509 outerbox - EAN3 927900504007 Logistic code(s) -12NC

22.000 gr



TUV PL-S

Dimensional drawing







G23

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
TUV PL-S 5W/2P	67	83	105	28	13

TUV PL-S

Photometric data







Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.