

# TECHNICAL PRODUCT SHEET



Incandescent lamps shockproof

## AD 2,2V 250mA E10 minilupa



Order Number  
**378015000**

EAN13  
**8595209905062**

ILCOS  
**IBP/C/RS-0,25-2,2-E10-9,5**

### General information

Product description:	AD 2,2V 250mA E10 minilupa
Model/Description:	Incandescent lamps shockproof
Finish:	Torch lamps
Brand/Manufacturer:	NBB
Nominal voltage:	2,2 V
Nominal service life:	15 h.

### Physical characteristics

Bulb design:	MINILOUPE
Cap:	E10
Type and imposition of filament:	Shockproof
Dimensions:	Ø9,5 x 24 mm
Packing method:	50
Weight net:	3 g

### Electrical characteristics

Nominal wattage:	0,6 W
Rated power:	0,6 W
Rated current (A):	250 mA
Operating voltage:	2,2 V
Type of Voltage:	AC/DC

### EuP Parameters

Rated service life:	15 h.
Average Lifetime B50:	15 h.

### Lighting characteristics

CCT:	2.580 K
Chromaticity coordinates x:	0,469

Chromaticity coordinates y:	0,414
Colour rendering index CRI:	100 Ra8

**Working conditions**

Burning position:	Universal
Method of use:	Svítilny/Torch

**Mounting methods**

Suitable for domestic use.:	No/Ne
-----------------------------	-------

**EuP regulations**

The rate of premature failures:	<1%
---------------------------------	-----

**Safety information**

Safety instructions:	<a href="http://www.nbb.cz">www.nbb.cz</a>
----------------------	--------------------------------------------