



Incandescent lamps shockproof

Halogen lamp, T9x31mm 4,8V 500mA PX13.5S clear

Order Number
382044052

EAN13
8595209910899

ILCOS
HSGST/C/UB/RS-0,5-4,8-PX13,5s-9,3

General information

Product description:	H 4,8V 500mA čirá PX13.5S
Model/Description:	Incandescent lamps shockproof
Finish:	Halogen Torch Lamps
Brand/Manufacturer:	NBB
Nominal service life (h):	16
Name of production series:	H
Colour:	Bez barvy
Socket:	PX13.5s
Xenon:	Ne
Suitable for torches:	Ano
Suitable for pointer:	Ne
Halogen:	Ano
Lamp type:	Vláknová žárovka
Nominal voltage (V):	4,8/4,8
Xenon:	Ne
Lamp voltage:	4,8/4,8

Electrical characteristics

Nominal wattage (W):	2,4
Rated power (W):	2,4
Operating voltage (V):	4,8/4,8
Type of Voltage:	AC/DC
Direct connection to the mains:	Ano
Nominal current (mA):	500

Lamp power:

2,40

Physical characteristics

Cap/Lamp holder:	PX13.5s
Dimensions (mm):	Ø9,3 x 31,0
Packing method:	50
Weight netto:	2
Total length:	31
Diameter:	9,3
Lamp shape:	Oliva
Filament shape:	Shockproof

EuP Parameters

Average Lifetime B50 (h):	16
Rated service life (hours):	16

Lighting characteristics

Dominant wavelength:	760
Chromaticity coordinates x:	0,469
Chromaticity coordinates y:	0,414
Nom. lum. flux:	31
CCT:	2580
Colour rendering index CRI:	100

Working conditions

Burning position:	Universal
Application:	Svítilny/Torch

Mounting methods/application

Suitable for domestic use.:	Ne
-----------------------------	----

EuP regulations

The rate of premature failures:	<1
---------------------------------	----

Safety information

Safety instructions:	www.nbb.cz
----------------------	--