



CorePro LEDspot MV

Corepro LEDspot 550lm GU10 840 120D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.


Product data

General Information		Starting Time (Nom)	
Cap-Base	GU10 [GU10]		0.5 s
RoHS mark	RoHS mark	Warm Up Time to 60% Light (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Power Factor (Nom)	0.5
Switching Cycle	50000X	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	840 [CCT of 4000K]	T-Case Maximum (Nom)	65 °C
Beam Angle (Nom)	120 °	Controls and Dimming	
Luminous Flux (Nom)	550 lm	Dimmable	No
Luminous Flux (Rated) (Nom)	550 lm	Approval and Application	
Color Designation	Cool White (CW)	Energy Efficiency Label (EEL)	A+
Rated Beam Angle	120 °	Suitable For Accent Lighting	No
Correlated Color Temperature (Nom)	4000 K	Energy Consumption kWh/1000 h	5 kWh
Luminous Efficacy (rated) (Nom)	110.00 lm/W	Product Data	
Color Consistency	<6	Full product code	871869668690400
Color Rendering Index (Nom)	80	Order product name	Corepro LEDspot 550lm GU10 840 120D
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	8718696686904
Operating and Electrical		Order code	929001297332
Input Frequency	50 to 60 Hz	Numerator - Quantity Per Pack	1
Power (Rated) (Nom)	5 W	Numerator - Packs per outer box	10
Lamp Current (Nom)	41 mA		

CorePro LEDspot MV

Material Nr. (12NC)	929001297332
Net Weight (Piece)	0.038 kg




Dimensional drawing



Product	D	C
Corepro LEDspot 550lm GU10 840 120D	50 mm	55 mm

CLA LEDspotMV ND 500lm GU10 840 120D

Photometric data



Product Information 11 Photo Lighting 11 Page 11


CLA LEDspotMV ND 5W PAR16 GU10 840 520lm

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

