



# CorePro LED candles and lusters

### Corepro Candle ND 4-25W E14 827 B35 CL

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

### **Product data**

General Information	
Cap-Base	E14 [ E14]
Reddot Design Award Winner mark	Reddot Design Award Winner 2016
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	4-25W
Light Technical	
Color Code	827 [ CCT of 2700K]
Luminous Flux (Nom)	250 lm
Luminous Flux (Rated) (Nom)	250 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	62.50 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80

LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	4 W
Lamp Current (Nom)	35 mA
Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	75 ℃


Datasheet, 2019, March 1 data subject to change

### **CorePro LED candles and lusters**

Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Clear	
Approval and Application		
Energy Efficiency Label (EEL)	A+	
Energy Consumption kWh/1000 h	4 kWh	
Product Data		
Full product code	871869650757500	

Order product name	Corepro Candle ND 4-25W E14 827 B35 CL
EAN/UPC - Product	8718696507575
Order code	929001142202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001142202
Net Weight (Piece)	0.040 kg


### Dimensional drawing




LED ND 4-25W E14 827 220-240V B35 CL

## Product D C Corepro Candle ND 4-25W E14 827 B35 CL 35 mm 106 mm

### Photometric data




CorePro LEDcandle 4-25W E14 827 CL B35



CorePro LEDcandle 4-25W E14 827 CL B35


### CorePro LED candles and lusters


#### Photometric data



CorePro 822-827

### Lifetime





LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38



© 2019 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.